

## ARCHITECTURAL STANDARDS PRODUCT DATA SHEET

Movable Partition

NBS L20 540

### PREFFERED SUPPLIER INFORMATION

NBS REFERENCE P21/310

MANUFACTURER: London Wall Design

Address **KT9 2NY**Tel 0208 391 8750

E-mail <u>info@londonwall.co.uk</u>
Website: www.londonwall.co.uk

Supplier: Contact:

\_20



#### PRODUCT DESCRIPTION

ICL APPROVED SPECIFICATION

Range: Top hung movable acoustic partition

Product Code Typ100SE

Application: Hotels, conference centre, lecture theatres, civic halls, boardrooms/meeting rooms

and office environment

Material High density chipboard, sreel bracket frame, top and bottom retractable seals,

electronically operated worm drive. Custom made panel finishes

Size Up to 10 000mm high and up to 1250 panel width. Panel weight up to 75kg/m²

Pass door panels can be full height single or doube. Track type E, Z or K types. Options include curved panels and glass cut-outs. Semi-electric option eliminates the need for handle winding process as top and bottom retractable seals and telescopic thrust unit

Other is driven electronically ensuring exact sealing pressure.

Environmental Fully sustainable materials used in production

**Recycling** Product and components fully re-cyclable & re-useable

**Guarantees** 12 months labour and parts warranty

Production 6 - 8 weeks

#### TYPICAL NBS SPECIFICATION

Standard NB L20 540

Range Top hung movable acoustic partition

Manufacturer London Wall Design Ltd

Product Reference Type100SE

Semi-electric version alleviates the need for the handle winding process as the panels'

Type top and bottom retractable seals and telescopic thrust unit is driven electronically.

Fire safety Class 1 or class 0 F30 or F60 on request

warranty 12 months labour & parts warranty

Size up to 10 000mm high x 15 000mm wide+. Panel width up to 1250 mm each

Replaceable double skin, 3 layer high density chipboard (E1) double skin boards of no

Material /Finish less than 19mm each with internal timber/steel twist resistant frame with steel

connectors and internal layers of sound reducing materials to achieve the sound

inculation rating required

**Recycling issues** Product & components fully re-cyclable & re-usable

Product free from votatile organic components in standard manufacture, timber

Enironmental issues products supplied with FSC certifictaion.

Source U.K.



# ARCHITECTURAL STANDARDS Movable Partition PRODUCT DATA SHEET

L20 NBS L20 540

Maintenance issues Servicing recommened by London Wall Design Ltd

**Cleanability** Cleaning instructions detailed in Operation & Maintenance manual.